



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/030,751	11/09/2001	Johannes Van Sinderen	COH-12726	4155

7609 7590 02/12/2003

RANKIN, HILL, PORTER & CLARK, LLP  
700 HUNTINGTON BUILDING  
925 EUCLID AVENUE, SUITE 700  
CLEVELAND, OH 44115-1405

EXAMINER

CAPUTO, LISA M

ART UNIT PAPER NUMBER

2876

DATE MAILED: 02/12/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/030,751

Applicant(s)

VAN SINDEREN, JOHANNES

Examiner

Lisa M Caputo

Art Unit

2876

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 09 November 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-9 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-9 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 09 November 2001 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 6,7.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

Art Unit: 2876

## **DETAILED ACTION**

### ***Drawings***

1. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: Reference number 2 is mentioned in the specification but is not in the Figure.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

### ***Specification***

2. Please add headings as described below:

The following guidelines illustrate the preferred layout for the specification of a utility application. These guidelines are suggested for the applicant's use.

### **Arrangement of the Specification**

As provided in 37 CFR 1.77(b), the specification of a utility application should include the following sections in order. Each of the lettered items should appear in upper case, without underlining or bold type, as a section heading. If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

- (a) TITLE OF THE INVENTION.
- (b) CROSS-REFERENCE TO RELATED APPLICATIONS.
- (c) STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT.
- (d) INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC (See 37 CFR 1.52(e)(5) and MPEP 608.05. Computer program listings (37 CFR 1.96(c)), "Sequence Listings" (37 CFR 1.821(c)), and tables having more than 50 pages of text are permitted to be submitted on compact discs.) or  
REFERENCE TO A "MICROFICHE APPENDIX" (See MPEP § 608.05(a). "Microfiche Appendices" were accepted by the Office until March 1, 2001.)
- (e) BACKGROUND OF THE INVENTION.

Art Unit: 2876

- (1) Field of the Invention.
- (2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (f) BRIEF SUMMARY OF THE INVENTION.
- (g) BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S).
- (h) DETAILED DESCRIPTION OF THE INVENTION.
- (i) CLAIM OR CLAIMS (commencing on a separate sheet).
- (j) ABSTRACT OF THE DISCLOSURE (commencing on a separate sheet).
- (k) SEQUENCE LISTING (See MPEP § 2424 and 37 CFR 1.821-1.825. A "Sequence Listing" is required on paper if the application discloses a nucleotide or amino acid sequence as defined in 37 CFR 1.821(a) and if the required "Sequence Listing" is not submitted as an electronic document on compact disc).

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1, 3, and 6-9 are rejected under 35 U.S.C. 102(e) as being anticipated by Kadaba et al. (U.S. Patent No. 6,285,916, from hereinafter "Kadaba").

Kadaba teaches a multi-stage parcel tracking system having all of the elements and means as recited in claims 1, 3, and 6-9 of the instant application.

Kadaba teaches that referring now in more detail to the drawings, in which like numerals refer to like parts throughout the several views, FIG. 1 shows a parcel tracking system 10 embodying the present invention in block diagram form. Referring to FIGS. 1 and 2, the system 10 includes an intelligent, hand-held, portable data entry and data

Art Unit: 2876

processing device 12, of the type known as a personal digital assistant (PDA). The PDA 12 includes a touch-sensitive data entry and display screen 14 capable of interpreting handwriting and of defining button or key areas 15. For example, the screen may display a typewriter keyboard, a numeric keypad, or buttons programmed to allow a user to cause certain operations to occur. A cursor controller 16 mounted on the housing of the PDA enables movement of a cursor on the screen 14 by manual manipulation of the controller 16 in a known manner. A preferred PDA for use in connection with the present invention is model Z-7000 manufactured by Casio. The PDA 12 includes a processor or CPU 17 which is operative to control various devices within the PDA. The processor 17 is connected to a screen driver circuit 14a, which operates the data acquisition and display functions of the screen 14. The processor also is connected to a memory device 18, which may be RAM (protected by a battery back up), a removable memory card, or other memory capable of use with a PDA. An input/output (I/O) circuit 20, connected to the processor 17, controls communications between the PDA and external devices through a modem 22, an infrared port 23, and a wand scanner 25. The modem may be an internal modem or a plug-in peripheral type, and preferably is a model XJACK fax modem card by Megahertz. The infrared port 23 is a known device commonly built into PDAs for communication with other PDAs and PCs. The wand scanner 25 is preferably a model Scanteam 6180 by Welch Allyn. The scanner 25 includes a light source and detector for reading bar codes as the tip 25 of the wand is swept across a bar code 30 as shown in FIG. 2. The tip 25 is made of hard, transparent glass or plastic to withstand repeated drawing across surfaces on which bar

Art Unit: 2876

codes have been printed. The scanner 25 also includes within the wand a detector for detecting the light reflected from the bar code 30 and circuitry for decoding the detector output. A resulting signal containing the contents of the bar code 30 is transmitted to the I/O circuit 20 via a cable 27 plugged into a communications port of the PDA. The wand scanner may require a battery pack (not shown) for operating power. The battery pack can be attached to the PDA 12. The system 10 also may include a portable data acquisition device 35, such as a UPS DIAD device. The DIAD device incorporates an optical data port 37, which can transmit data to a compatible peripheral optical data port 38 that is plugged into a communications port of the PDA 12. Other portable data acquisition devices can be used, and they may be interfaced to an RS-232 port of the PDA in a conventional manner for data transfer with the PDA by known means, such as cable, RF link, infrared link, or optical link. The system 10 may further include a personal computer 40 or other computer equipped with an infrared port 42 compatible with the infrared port 23 of the PDA 12 (the mobile data acquisition device has a mechanical/electrical interface to set up communication with a data exchange station as recited in claim 8 of the instant application). The infrared port 42 is preferably that sold by AST. The principal use of this infrared link in the present invention is to upload tracking information acquired by the PDA into the PC 40. The PC 40 then can be used as a station to search for or print parcel delivery status information. With appropriate programming of the PC 40 and PDA 12, information can be downloaded from the PC into the memory 18 of the PDA. As alternatives to the infrared port, data communication between the PC and the PDA may be over known means, such as cable, RF link,

Art Unit: 2876

infrared link, or optical link. As also shown in FIG. 1, the PDA 12 may be connected to a remote central tracking computer 45 via normal or cellular telephone lines using the modem 22 and a compatible modem in the computer 45. In this way the PDA can access tracking information stored in the central computer 45 and can receive such information from the computer 45. A printer 48 may be included in the system and selectively connected to the PC 40 or the PDA 12 by appropriate cables. In addition to being used to scan bar codes, the wand 25 also is used to enter data via the touch-sensitive screen 14. This is done by engaging the tip 26 of the wand against the screen to enter data either by pressing buttons or keys 15 defined by the screen display, or by writing on the screen. In particular, a recipient of a parcel may use the wand to enter his or her signature into the PDA to verify receipt of the parcel. The signature information is stored in the memory 18 and is associated with other information related to the same package, such as a tracking identification number obtained by scanning the bar code 30 (the mobile data acquisition device has a memory adapted to store identification specific data as recited in claim 7 of the instant application). A system according to the present invention needs no stylus in addition to the wand 25 (see Figures 1-2, col 4 line 33 to col 5 line 55). Hence Kadaba teaches a mobile data acquisition device and corresponding module for use in deliveries that comprises a reader for reading machine readable data and an input system for receiving data that identifies the recipient of the object (the recipient identification reader is the touch screen that reads the signature and other identifying information of the recipient) as recited in claims 1 and 9.

Art Unit: 2876

Further, Kadaba teaches that returning to FIG. 3, at block 303 a procedure for making a tracking query is indicated. The tracking procedure is illustrated in more detail in the flow chart of FIG. 6 and the screen sequence of FIG. 7. From the main menu as shown in FIG. 7A, the clerk taps the button "Track Packages" and is presented with a query mode selection screen as in FIG. 7B for selecting "Internal Deliveries," that is, deliveries checked in or out by the PDA 12, or "TotalTrack," which refers to an external tracking database stored in the remote central computer 45. Referring to FIG. 6, upon such entry of the type of query, at block 601, the processor determines which button, internal or external query, has been tapped. If an internal query has been selected, the clerk is presented with the screen of FIG. 7C and asked to select a query mode: by date, by name of recipient, by tracking number, or by location of intended recipients. The clerk taps the appropriate button on the screen. The clerk then may use the keypad display to enter the desired date, name, or at least the last three digits of the tracking number. If a query by location has been selected, the clerk is presented with a screen as in FIG. 7D containing a list of possible locations. Upon tapping a particular location, it is displayed in a window. The above selection step corresponds to data input block 603 in FIG. 6. After the query mode and request data have been entered, the processor determines which mode has been selected at block 604. If a recipient's name has been entered, at block 605 the processor accesses the memory 18 and retrieves a list of the tracking numbers of parcels that have been signed out to the identified person, sorted by date of delivery, and optionally the signatures associated with each delivery. If a date has been entered, at block 606 the processor accesses the memory 18 and



Art Unit: 2876

retrieves a list of the tracking numbers of parcels that have been signed out on that date, sorted by recipient, and optionally the recipients' signatures. This information may be displayed at block 607 in the manner shown in FIG. 7E. Information that does not fit on the screen 14 may be displayed by scrolling in a known manner. If a tracking number has been entered, at block 608 the processor accesses the memory 18 and retrieves the date and time the parcel corresponding to the tracking number was signed out, the name of the recipient, and optionally the recipient's signature. The display of the retrieved information on the PDA screen is shown in FIG. 7F. If a recipient location has been entered, at block 608a the processor accesses the memory 18 and retrieves and displays the dates and times, the recipients' names, and optionally the signatures for all parcels delivered or to be delivered at the selected location. Thus, tracking information acquired by the PDA 12 can be accessed at any time using the PDA, and particularly can be queried before the PDA memory has been loaded up to another computer. This is an important feature of the invention because it eliminates a period of time during which tracking information acquired and stored in a portable data acquisition device otherwise would not be accessible. If an external query has been selected, from block 602 in FIG. 6 the logic steps to block 609 for input of a query mode directed to a database file in the central tracking computer 45. Again tracking may be enabled by tracking number, name of sender or recipient, date, or location of sender or recipient (preferably plus the name of an organization). However, appropriate security identification may be required to permit the person making the query to have access, particularly to broad lists by recipient or by date. At block 610, the processor causes the

Art Unit: 2876

modem 22 to initiate communication with the computer 45. At block 611, the processor determines which query mode has been selected. If a tracking number has been entered, at block 612 the processor accesses the database file in the computer 45 and retrieves the scan history of the parcel associated with the entered tracking number. If a date and an organization have been entered, at block 613 a list of parcels received by the organization on the entered date is retrieved. If a sender's or recipient's name is entered, at block 614 a list of parcels sent by, received by, or in transit to the particular person is retrieved. The capability to retrieve the scan history of each parcel in these lists can be provided (see Figures 6, 7A-F, col 7 line 5 to col 8 line 16). Hence, regarding claim 3, Kadaba teaches that the device includes an input unit to enter a personal identification code in the form of a tracking number or security identification and regarding claim 6, the tracking system as described shows that the device includes a site-locating unit.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 2 and 4-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kabada in view of Kumar (U.S. Patent No. 5,489,773). The teachings of Kabada have been discussed above.

Art Unit: 2876

Regarding claim 2, Kabada fails to teach that the recipient identification reader is designed to read articles from the group of magnetic cards, chip cards, and transponders.

Kumar teaches an integrated portable device for point of sale transactions. Kumar discloses that the magnetic card reader 40 may be any conventional reader suitable for reading credit card information encoded on a magnetic credit card 41 (FIG. 6) and carried and mounted by means not relevant hereto within housing 20 substantially adjacent to the first end 23 of housing 20 so as to allow an operator, whether a salesperson or customer, to wipe the magnetic stripe of the card across the exposed reading head 42 of magnetic card reader 40, as further discussed below. Of course, where credit card 41 employs a different information encoding method, such as optical or electrical, card reader 40 may be appropriately selected to respond to such other encoding method. A substantially planer card guide 43 for directing credit card 41 and its magnetic stripe into operative engagement with reading head 42 may be furnished and connected to housing 11 as with flat head screws 44 (see Figure 2, col 3, lines 45-61).

In view of the teaching of Kumar, it would have been obvious to one of ordinary skill in the art at the time the invention was made to employ a magnetic card reader to the data acquisition device in order to be able to process more information regarding the parcel so as to have a comprehensive tracking unit. This is favorable because if one part of the device is not functioning properly other data can be discerned through other means in order to complete the task.

Art Unit: 2876

Regarding claims 4-5, Kabada fails to teach that the device has a data processing unit to execute electronic payments and that the device has a mobile radio unit.

Kumar teaches that the communications assembly 110 allows device 10 to obtain approval of credit card transactions, and may include, alternatively or in combination, the components necessary to effect several different methods of obtaining such approval. For example, device 10 may include a conventional radio frequency transceiver 111, preferably employing spread spectrum modulation, to send the information necessary for approval to a base station 112 including a like transceiver 113, central processing unit 114, memory 115 and input/output circuit 116 connected to a telephone line. Base station 112 will call the credit card verification telephone number, forward the necessary information, and receive and radio back to device 10 approval or disapproval. If desired additional memory 117 may be included within communications assembly 110 to store the information necessary for approval and transmit all such information in one or more larger data batches, instead of transmitting each piece of information as it is read, scanned or entered in device 10. Data jacks suitable for direct serial data transmission may be provided in both device 10 and base station 112, and device 10 and base station 112 plugged together to effect transfer. A modem 118 and telephone jack may be installed within device 10, and device 10 plugged directly into the public telephone network to obtain transaction approval. Communications assembly 110 may be carried within and mounted by means not relevant hereto to housing 20 substantially adjacent to magnetic card reader 40 underneath keyboard 50 (see Figure

Art Unit: 2876

6, col 5 lines 38-64). Mobile radio units are well known and notoriously old in the art for transmitting information.

In view of the teaching of Kumar, it would have been obvious to one of ordinary skill in the art at the time the invention was made to employ a data processing unit to execute electronic payments because this would make the system more comprehensive and would be able to accomplish more tasks in order to ensure proper delivery of packages. In addition, it would have been obvious to one of ordinary skill in the art at the time the invention was made to employ a mobile radio unit because the advantages of transmitting information through a mobile radio unit are numerous (i.e. quick, efficient transmission).

### ***Conclusion***

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: U.S. Patent No. 5,672,860 to Miller et al. which discloses an integrated hand-held bar code processing device capable of automatic scan and data display and U.S. Patent No. 6,192,400 to Hanson et al. which discloses a multi-level data communication system including local and host systems.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Lisa M. Caputo** whose telephone number is **(703) 308-8505**. The examiner can normally be reached between the hours of 8:30AM to 5:00PM Monday through Friday. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael G. Lee can be reached on 703-305-3503. The fax phone number for this Group is (703)308-7722, (703)308-7724, or (703)308-7382.

Communications via Internet e-mail regarding this application, other than those under 35 U.S.C. 132 or which otherwise require a signature, may be used by the applicant and should be addressed to [***lisa.caputo@uspto.gov***].

*All Internet e-mail communications will be made of record in the application file. PTO employees do not engage in Internet communications where there exists a*

Art Unit: 2876

*possibility that sensitive information could be identified or exchanged unless the record includes a properly signed express waiver of the confidentiality requirements of 35 U.S.C. 122. This is more clearly set forth in the Interim Internet Usage Policy published in the Official Gazette of the Patent and Trademark on February 25, 1997 at 1195 OG 89.*

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-0956.

LMC

February 6, 2003



KARL D. FRECH  
PRIMARY EXAMINER